# YOUNG KIM 40TH DISTRICT, CALIFORNIA

### COMMITTEE ON FINANCIAL SERVICES

SUBCOMMITTEE ON FINANCIAL INSTITUTIONS AND MONETARY POLICY
SUBCOMMITTEE ON NATIONAL SECURITY, ILLICIT FINANCE, AND INTERNATIONAL FINANCIAL INSTITUTIONS

#### **COMMITTEE ON FOREIGN AFFAIRS**

SUBCOMMITTEE ON EAST ASIA AND THE PACIFIC SUBCOMMITTEE ON EUROPE

HOUSE SELECT COMMITTEE ON STRATEGIC
COMPETITION BETWEEN THE UNITED STATES AND
CHINESE COMMUNIST PARTY



WASHINGTON OFFICE 2439 RAYBURN HOUSE OFFICE BUILDING WASHINGTON, DC 20515 PHONE: (202) 225-4111

## ANAHEIM HILLS OFFICE

180 N. Riverview Dr., Ste. 150 Anaheim, CA 92808 Phone: (714) 984–2440

## MISSION VIEJO OFFICE

200 CIVIC CENTER MISSION VIEJO, CA 92691 PHONE: (949) 268–6706

www.youngkim.house.gov @RepYoungKim

April 25, 2025

Washington, DC 20515

The Honorable Tom Cole Chairman Committee on Appropriations U.S. House of Representatives Washington, D.C. 20515 The Honorable Rosa DeLauro Ranking Member Committee on Appropriations U.S. House of Representatives Washington, D.C. 20515

Dear Chairman Cole and Ranking Member DeLauro:

I am requesting funding for Orange County Water District's PFAS Treatment Project in fiscal year 2026. The entity to receive funding for this project is Orange County Water District, located at 18700 Ward Street, Fountain Valley, CA 92708.

The funding would be towards construction of PFAS treatment plants and associated interim replacement water, capital and operations, and maintenance costs. In OCWD's service area, 62 drinking water wells need treatment, which is enough water for nearly 800,000 individuals per year, and 40 additional wells will be impacted and eventually taken offline when the U.S. EPA finalizes its PFAS regulations this year. The project has a Federal nexus because the funding provided is for purposes authorized by Section 1452 of the Safe Drinking Water Act, 42 U.S.C. 300j-12.

I certify that I have no financial interest in this project, and neither does anyone in my immediate family.

Sincerely,

Young Kim

Member of Congress